

Rackmount Audio

Model	Description	sem IVA	com IVA
 970	Rack-mounted audio recorder with time code. 64-track mono or polyphonic WAV file recording. I/O includes 8-balanced line level, 8-AES3, 64-Dante, and 64-MADI. Word clock I/O. Accepts two front-panel-mounted SATA drives in caddies plus two-back panel eSATA-connected drives. RS-422 and embedded web-server control. XL-WP4 Power supply included. Rack kit, Drives and Caddys not included.	€4 891,47	€6 016,51

7 Series Digital Audio Recorders

Model	Description	sem IVA	com IVA
 788T-SSD	Eight input, 12-track portable audio recorder with time code. Eight analog mic/line or digital inputs. 240 GB internal SSD drive and CompactFlash card recording. External FireWire 400/800, and USB 2.0 support. Includes 4600 mAh Li-ion battery, AC power adapter.	€7 054,47	€8 677,00
 702T	Portable time code-enabled audio recorder, two-channel analog and AES digital I/O, CompactFlash card recording. Includes 2000 mAh Li-ion battery, AC power adapter, and XL-1394 power conditioner.	€2 779,97	€3 419,36

Portable Field Mixer/Recorders

Model	Description	sem IVA	com IVA
 688	12-input field mixer with 16-track integrated recorder with time code. Six mic/line inputs with phantom, high-pass, and limiters plus six line-only inputs. Master L/R outputs plus aux buses. Features MixAssist, Digital Mixing & routing. Records broadcast WAV up to 192 kHz and MP3 files to CompactFlash and SD cards. Includes PowerSafe™. Powered by 10-18 VDC or 5-AA batteries.	€6 177,94	€7 598,87
 664	12-input field mixer with 16-track integrated recorder and time code. Six mic/line inputs with phantom, high-pass, and limiters plus six line-only inputs. Master L/R outputs plus aux buses. Records broadcast WAV and MP3 files to CompactFlash and SD cards. Powered by 10-18 VDC or 5-AA batteries.	€5 147,94	€6 331,97
 633	Six input compact mixer with integrated 10-track recorder and time code. Three mic/line inputs on XLR plus three line-only inputs on TA3. L/R output plus four added output buses. AES3/AES42 input and selectable AES3 output. Records broadcast WAV files up to 24-bit @ 192 kHz or MP3 to SD and CF cards. Powered by ext. DC (12-18V), Sony L-type (x2) or 6 AA (LR6) batteries. Features PowerSafe.	€3 427,84	€4 216,24
 633 KIT	Kit includes: 633 mixer and CS-633 bag (by Portabrace). Also includes cables: (3) XL-2F, (2) XL-2, (1) XL-LB2; plus batteries: (2) XL-B2, plus storage media (1) 16 GB approved CompactFlash card, and (1) 16 GB approved SD card. Order the 633 Pack for the accessory Box only.	€4 212,70	€5 181,62
 552	Field mixer with five transformer-balanced mic/line inputs with phantom, high-pass, and limiters. Multiple outputs include XLR mic/line master outs, direct out, and two AES/EBU outs (four-channels). Built-in two-channel recorder (SD/SDHC card). Battery (4-AA) or external DC powered.	€3 718,30	€4 573,51

Portable Field Mixer

	Model	Description	sem IVA	com IVA
	MixPre-D	Two-input compact mixer. Mic/line inputs with 48 V phantom power, high-pass, and limiters. Balanced XLR analog, AES3, and USB outputs. M/S matrix, 32-segment LED meter, battery (2-AA) or external DC powered.	€1 018,67	€1 252,96
	302	Compact, full-featured production mixer with three mic/line inputs, 48 V phantom, T-power, and limiters. Mic/line switchable XLR output. Includes 40-segment LED meter, MS matrix. Powered by battery (3-AA) or external DC.	€1 748,94	€2 151,20

Computer Interface

	Model	Description	sem IVA	com IVA
	USBPre 2	Two-channel, portable, high-resolution USB audio interface for Mac OS and Windows. Balanced mic/line analog and coaxial/optical SPDIF I/O, with up to 24 bit/192 kHz resolution. 48V phantom, peak limiters and high-pass filter on microphone inputs. Stand-alone operation allows use as microphone preamplifier and A/D converter. USB bus powered.	€921,85	€1 133,88

Broadcast Essentials

	Model	Description	sem IVA	com IVA
	HX-3	Battery-powered stereo headphone amplifier. Three outputs. Accepts balanced and unbalanced line level inputs. Powered from 2-AA batteries or external DC.	€468,65	€576,44
	MM-1	Battery-powered microphone preamplifier with headphone monitoring. 48 V phantom and T-power, limiter, high-pass filter. 2-AA or external DC powered.	€575,77	€708,20
	MP-1	Battery-powered single-channel microphone preamplifier, with 48 V phantom, limiter, and high-pass filter. Powered from 2-AA batteries.	€468,65	€576,44

Audio Accessories

	Model	Description	sem IVA	com IVA
7-SERIES	CL-1	Interface for connecting external keyboards to Sound Devices 7-Series audio recorders. Also includes programmable toggle switch for remote roll functions, status LED's, and hard wire contact closures for custom wiring. Connects via C. Link port on the recorders.	€414,06	€509,29
	CL-2	Remote 30 mm linear fader for the 788T Digital Recorder. Mounts directly to most boom poles. Equipped with four programmable logic switches. Connects to the 788T through C-Link.	€414,06	€509,29
	CL-8	External controller for 788T and 788T-SSD recorders. Designed for over the shoulder or cart applications. Provides control of pre- or post-fader gain, input routing, high-pass filter, input limiters, polarity reversal, input solo, and slate mic. Connects and powered from 788T from USB.	€1 257,63	€1 546,88
	CL-9	Linear fader controller for the 788T Digital Recorder. Includes 100 mm linear faders, rotary trim control, adjustable single-band parametric eq, pan control, and solo per input. Rotary level controls for L, R, Aux 1, and Aux 2 tracks and outputs. Also offers two PL comm return inputs. Powered by 788T USB connection.	€2 492,60	€3 065,90
6-SERIES	CL-12	Linear fader controller for the 688, 664 and 633. Powered by 6-Series USB connection for 688. 633 and 664 require external 5v power via rear USB port.*Not all features available on 664 & 633.	€2 157,85	€2 654,16
	CL-12 Alia Blonde Maple	Same as CL-12 Classic with the addition of twelve Penny & Giles high performance linear faders for extra smooth movement. Includes handcrafted Curly BlondeMaple wood side panels & Aluminum panels.	€3 084,85	€3 794,37
	CL-12 Alaia Red Mahogany	Same as CL-12 Classic with the addition of twelve Penny & Giles high performance linear faders for extra smooth movement. Includes handcrafted Mahogany Red side panels & Aluminum panels	€3 084,85	€3 794,37
	CL-6	Input Controller for 664 & 688 . Adds dedicated front panel controls for inputs 7-12. Also offers LED output meters and additional recording controls.	€1 257,63	€1 546,88
	SL-6	Wireless integration accessory for the 688. Secures to 688 and can hold up to three dual unislot or SuperSlot™ compatible Receivers controed via the 688. Adds NP-1 powering option, two 12v isolated outputs & two non isolated outputs for external devices.Plus one USB Charging port.	€1 539,85	€1 894,02
	WM-Connect	For connection to Wingman® IOS app. WM-Connect uses Bluetooth® Smart technology and comes with a right-angle USB A-to-B adapter and USB A-to-B cable adapter to connect to the 6-Series USB port or a CL-12's USB keyboard port.	€70,04	€86,15
	633 Pack	Pack includes: CS-633 bag (by Portabrace)cables: (3) XL-2F, (2) XL-2, (1) XL-LB2; plus batteries: (2) XL-B2, plus storage media (1) 16 GB approved CompactFlash card, and (1) 16 GB approved SD card. 633 Mixer not included.	€787,95	€969,18

SOUND DEVICES

Lista de preços – 1 Março 2017

Audio Accessories

	Model	Description	sem IVA	com IVA
970	XM-CADDY PACK	Includes (2) 2.5" PIX-SSD-6 240 Gig 2.5" SATA Drives pre-mounted to (2) PIX CADDY-2 mounting accessories. For use with the 970 only.	€798,25	€981,85
	PIX-CADDY CF	Compact Flash Caddy interface. Records audio .WAV files to approved removable CF Cards. For use with 970 only.	€223,51	€274,92
	PIX-CADDY 2	2.5" SSD drive caddy for the 970 Audio Recorder/Player. FW 800 USB 3.0 and eSATAp connections for data transfer.	€168,92	€207,77
	PIX-SSD6	240 GB capacity, 2.5" SSD approved for use with the 970. Preformatted exFAT. No shim required for use with PIX-CADDY 2.	€225,57	€277,45
	PIX-SHIM2	Shim for use with 7mm drives. Increases SSD thickness from 7 mm to 9 mm making it compatible with the 970. Includes shims for two drives.	€27,81	€34,21
	PIX-RACK	Rack-Mount kit for the 970. Accommodates (2) rack type recorders. Includes a blank panel for mounting a single unit. 2 RU height.	€133,90	€164,70
CASES	CS-3	Production case with high-quality strap for use with 302, 702, 702T, 722, and 744T recorders and MixPre-D; NP-type battery compartment and accessory pouch for wireless. Made by CamRade for Sound Devices.	€169,95	€209,04
	CS-5	Production case with high-quality strap for use with the 552 Field Mixer, 788T Recorder, or 788T with CL-8 Controller; with NP type battery compartment, accessory compartment and a door to access 552 and 788T removable media; includes removable rain cover. Made by CamRade for Sound Devices.	€265,74	€326,86
	CS-633	Production case for use with the 633 mixer. Offers accessory pouch with pass-through for wireless, bottom access to 7.2 V "L" batteries. Includes removable rain cover and handle. Made by PortaBrace for Sound Devices. Strap not included.	€223,51	€274,92
	CS-688	Production Case for 688 and 664 ,made of 1000-denier Cordura® nylon with a rigid plastic frame. Holds Mixer, CL-6 and SL-6 simultaneously. Includes Suede Shoulder Strap and Rainhood. Made by PortaBrace for Sound Devices.	€380,07	€467,49
	CS-STRAP	Portabrace model HB-15 medium duty neck strap with metal hooks. For use with CS-633 Production Case.	€62,83	€77,28
	CS-MAN	Convenient, padded carry case with handles; fits MM-1, MP-1, HX-3, 302, 7-Series recorders; handy to store wallets, keys and mobile phones. Handcrafted in China.	€15,45	€19,00
AUDIO CABLES	XL-1B	TA3-F to TA3-F cable, 442 and 302 mixer linking, also used to connect 442/552 direct outputs to 7-Series TA3 inputs; 12-inch.	€35,02	€43,07
	XL-TA55	552 or 664 link cable.TA5 to TA5 Links two 552 mixers, 664 mixers, or a 552 mixer to 664 mixer. Links master buses (L,R) and headphone circuits.	€83,43	€102,62
	XL-TA35	Links Sound Devices 302, 442 to the 552 or 664 to add inputs to master bus (L,R). TA5 to TA3.	€83,43	€102,62
	XL-TA25	Links Sound Devices MixPre and MixPre-D to the 552 or 664 to add inputs to master bus (L,R). TA5 to 3.5 mm male.	€83,43	€102,62
	XL-2	TA3-F to XLR-M cable; 25-inch; connects balanced TA3 outputs to balanced XLR inputs; package of two.	€77,25	€95,02
	XL-2F	XLR-F to TA3-F cable; 25-inch; connects balanced XLR outputs to balanced TA3 inputs; package of two.	€77,25	€95,02
	XL-2X	TA3-F to Unisex XLR cable, 25-inch; connects balanced TA3 to Unisex XLR (M or F) inputs.	€112,27	€138,09
	XL-3	3.5 mm to TA3-F audio cable.	€51,50	€63,35
	XL-3R	3.5 mm to TA3-F audio cable. Same as XL-3, but with a right-angle 3.5 mm connector. Use with MixPre-D.	€62,83	€77,28
	XL-4	TA3-F (type) connectors, bag of four.	€31,93	€39,27
	XL-10	Hirose 10-pin to two-XLR (balanced L/R) and 3.5 mm plug (442 , 552 and 664 Stereo Return A) breakout cable; includes in-line 20-foot extension cable; 442, 552 and 664 specific.	€273,98	€337,00
	XL-14	3.5-mm male right-angle TRS to 1/4-inch female TRS jack for headphone extension, 12-inch.	€20,60	€25,34
	XL-88	788T-specific breakout cable for the DE-15 Multi-pin Connector. Breakout connections include: four female XLR connectors for AES Inputs 1-8, XLR male connector for AES Output 5-6, a 4-pin Hirose female connector, accepts 10-18 VDC input, and a lead for logic in & out.	€191,58	€235,64
	TIMECODE	XL-LL	LEMO-5 to LEMO-5 time code cable, time code equipped 7-Series recorders to Ambient Lockit, Slate, or Masterclock, coiled cable, 20-inch coiled, 55-inch full extension.	€95,79
XL-LX		LEMO-5 to XLR-M and XLR-F for time code input & output, 25-inch to XLR-M, 14-inch to XLR-F.	€95,79	€117,82
XL-BNC		BNC to BNC for word clock and AES3id interconnection, 24-inch.	€30,90	€38,01
XL-LB2		LEMO-5 to BNC-in and BNC-out for time code to camera jamming, 60-inch.	€122,57	€150,76

SOUND DEVICES

Lista de preços – 1 Março 2017

Audio Accessories

	Model	Description	sem IVA	com IVA
POWERING	XL-1394	Power conditioner for use when powering bus powered external data drives with 702, 702T, 722, and 744T recorders. Recommended only for real time recording to external drives.	€109,18	€134,29
	XL-B2	Lithium Ion 7.2 V, 4600 mAh battery for 7-Series audio recorders, Sony L-compatible mount.	€83,43	€102,62
	XL-B3	Lithium Ion 7.2 V, 6600 mAh battery. Sony L-compatible mount.	€100,94	€124,16
	SD-Charge	Charger for Sony compatible L Series batteries. Charges one battery. Includes wall & car charger, Euro adapter. Input voltage 110v-240v.	€30,90	€38,01
	XL-DC	Coaxial power connector, raw, for mating with DC input on MM-1, HX-3. (Also early models 442 and MixPre).	€12,36	€15,20
	XL-H	4-pin Hirose connector for mating with the DC power input of the 633, 664, 552, 442, 302, MixPre, and 7-Series recorders.	€23,69	€29,14
	XL-H4	Power adapter cable, 4-pin XLR-M to 4-pin Hirose, 6 in.	€66,95	€82,35
	XL-NPH	NP-type battery cup with 12-inch cable terminated in Hirose 4-pin locking DC connector (HR10-7P-4P) at equipment end. For use with MixPre-D, 302, 552, 663, 664, 688 and 7-Series.	€91,67	€112,75
	XL-WPH3	Universal, 45 W in-line AC-to-DC power supply Hirose 4-pin DC plug; with detachable IEC power cord; for all Sound Devices mixers and portable recorders. 100–240, 50/60 Hz. Included accessory with all 7-Series recorders.	€105,06	€129,22
	PIX-E PSU	AC to DC Power Supply (in-line) 100 – 240 V 50/60 Hz input, 12 VDC 3.0A output, right angle coaxial DC plug. Supplied with 3-pin IEC cord for use in North America and Japan. For use with MM-1, HX-3 and PIX-E models. Replaces XL-WP3	€46,35	€57,01
MISC	XL-WP4	Universal, 66 W in-line AC-to-DC power supply XLR 4-pin DC connector with detachable IEC power cord. 100-240, 50/60 Hz. Included w/ 970	€117,42	€144,43
	XL-RJ	RJ-12 to RJ-12 for C. Link to C. Link 702, 702T, 722, and 744T recorder linking, 12-inch.	€20,60	€25,34
	XL-K3	Fader-knob upgrade kit for CL-9. Includes eight knobs, sixteen magnets, and screwdriver for magnetic adjustment.	€77,25	€95,02
	XL-K7	Trim-knob for 702(T), 722 & 744T. Knob is grey w/ black indicator, includes two knobs, two set screws & hex key.	€29,87	€36,74
	XL-K788	Trim-knob kit for 788T, knob is grey with black indicator. Includes eight knobs, eight set screws and hex key.	€52,53	€64,61
	XL-K664	Trim-knob kit for 664/552, knob is grey with black indicator. Includes six knobs, six set screws and hex key.	€45,32	€55,74
	XL-CAM	Camera mounting bracket for MixPre-D.	€101,97	€125,42
	XL-LCD	Protective, clear Lexan LCD cover for 7-Series Digital Recorders. Protects the LCD glass from scratches and water. Kit of four covers.	€31,93	€39,27
	XL-SATA	SATA Drive Interface provides an internal connection to 2.5-inch SATA (Serial ATA) hard drives for 722 and 744T models originally equipped with PATA / IDE internal hard drives. Drive not included.	€125,66	€154,56